



MASONS
Designed Smart, Built Tough.

Product Warranty

Durali Weatherboard Cladding

1. MASONS PLASTABRICK LTD warrants the Durali Superior Weatherboard system and product for a period of 15 years from date of purchase. The warranty covers all production defects, and the systems performance under normal New Zealand climatic conditions. The warranty is strictly subject to the following conditions being met. This warranty does not modify or exclude any redress a customer already has under the Consumer's Guarantees Act 1993.

2. The Durali Weatherboards are to be thoroughly inspected for any defects prior to being installed; do not install any defective weatherboards. MASONS PLASTABRICK LTD must be contacted in writing immediately if prior to installation or within 1 month of the defect or concern becoming obvious, if installed. Warranty is limited to full replacement of the defective material. Masons will not be liable for any losses or damages (whether direct or indirect) including property damage or personal injury, consequential loss, economic loss or loss of profits, arising in contract or negligence or howsoever arising.

3. The system and product must be installed to the requirements of this technical brochure and installation instructions, ensuring all products and accessories are installed by a qualified tradesman with the appropriate skill level and good trade practice, who has attended a Masons Durali training course prior to installation.

4. The project must be designed and constructed in strict compliance with all relevant provisions of the current New Zealand Building Code ("NZBC"), regulations and standards. Masons will not be liable for any claims, damages or defects in any way attributed to poor workmanship, poor design or detailing, settlement or structural movement and/or movement of materials to which the product is attached.

5. The Durali boards, associated mouldings and flashings must be maintained as required in this brochure and on MASON PLASTABRICKS LTD's website.

6. The warranty applies to the original purchaser of the product and system, and is not transferrable to a new owner of the dwelling or building upon which the Durali product has been installed. The commencement date will be from the date of purchase, proof of purchase is required.

7. MASONS PLASTABRICK LTD will not be held liable for any direct or indirect losses because of poor workmanship, poor design or movement of the structure. It will also not be held liable for normal wear and tear including fading of the paint coating over time.

8. If Durali Weatherboards need to be replaced, for whatever reason, the owner acknowledges that a slight variation in the colour of the replacement board, and the existing board, may exist.

9. This warranty does not apply to Durali Weatherboard products which have been exposed to lightning, smoke, fire, windstorm, hail or other acts of god, salt-spray, toxic fumes, namely, air or chemical pollution, including but not limited to organic solvents, concentrated detergents, wetting agents or Durali Weatherboards subjected to vandalism or physical abuse.

10. In the event of an earthquake, a major conflict or any other circumstances that fall outside what would normally be seen and considered applicable to the warranty of a product of this nature, the warranty does not apply.

11. The warranty is subject to the following conditions;

- Normal conditions exclude corrosive environments such as those contaminated with chemical fumes or salt spray, intermittent or continual submersion in water or any other liquid, and damage from strong wind with sand.
- Damage to the coated material caused by handling, processing and or installation.
- Damage to the coated material caused by scratching after installation.
- Damage to the coated material from cut edges exposed to weather.

Disclaimer: The recommendations in Masons literature are based on good building practice, but are not an exhaustive statement of all relevant information and are subject to conditions (2), (3), (4) and above. Masons has tested the performance of Durali weatherboard when installed in accordance with the Durali technical specification, in accordance with the standards and verification methods required by the NZBC and those test results demonstrate the product complies with the performance criteria established by the NZBC. However, as the successful performance of the relevant system depends on numerous factors outside the control of Masons (e.g. quality of workmanship and design), Masons shall not be liable for the recommendations made in its literature and the performance of the relevant system, including its suitability for any purpose or ability to satisfy the relevant provisions of the NZBC, regulations and standards, as it is the responsibility of the building designer to ensure that the details and recommendations provided in the relevant Masons installation manual are suitable for the intended project and that specific design is conducted where appropriate.

Homeowner's record

This information, including proof of purchase, is required for any warranty claim. We recommend you attach your proof of purchase to this product warranty and keep it in a safe place. If your Masons product was installed by a builder, contractor, or installer, you must ensure that he or she has provided you with proof of purchase and details of the Masons product installed.

Substrate:

System: *Durali*

Extras:

Name of Company / Owner:

Address:

Type of Building:

Building Consent Number:

Completion Date:

Durali Applicator:



Product Warranty

Durali Weatherboard Cladding

1. MASONS PLASTABRICK LTD warrants the Durali Superior Weatherboard system and product for a period of 15 years from date of purchase. The warranty covers all production defects, and the systems performance under normal New Zealand climatic conditions. The warranty is strictly subject to the following conditions being met. This warranty does not modify or exclude any redress a customer already has under the Consumer's Guarantees Act 1993.

2. The Durali Weatherboards are to be thoroughly inspected for any defects prior to being installed; do not install any defective weatherboards. MASONS PLASTABRICK LTD must be contacted in writing immediately if prior to installation or within 1 month of the defect or concern becoming obvious, if installed. Warranty is limited to full replacement of the defective material. Masons will not be liable for any losses or damages (whether direct or indirect) including property damage or personal injury, consequential loss, economic loss or loss of profits, arising in contract or negligence or howsoever arising.

3. The system and product must be installed to the requirements of this technical brochure and installation instructions, ensuring all products and accessories are installed by a qualified tradesman with the appropriate skill level and good trade practice, who has attended a Masons Durali training course prior to installation.

4. The project must be designed and constructed in strict compliance with all relevant provisions of the current New Zealand Building Code ("NZBC"), regulations and standards. Masons will not be liable for any claims, damages or defects in any way attributed to poor workmanship, poor design or detailing, settlement or structural movement and/or movement of materials to which the product is attached.

5. The Durali boards, associated mouldings and flashings must be maintained as required in this brochure and on MASON PLASTABRICKS LTD's website.

6. The warranty applies to the original purchaser of the product and system, and is not transferrable to a new owner of the dwelling or building upon which the Durali product has been installed. The commencement date will be from the date of purchase, proof of purchase is required.

7. MASONS PLASTABRICK LTD will not be held liable for any direct or indirect losses because of poor workmanship, poor design or movement of the structure. It will also not be held liable for normal wear and tear including fading of the paint coating over time.

8. If Durali Weatherboards need to be replaced, for whatever reason, the owner acknowledges that a slight variation in the colour of the replacement board, and the existing board, may exist.

9. This warranty does not apply to Durali Weatherboard products which have been exposed to lightning, smoke, fire, windstorm, hail or other acts of god, salt-spray, toxic fumes, namely, air or chemical pollution, including but not limited to organic solvents, concentrated detergents, wetting agents or Durali Weatherboards subjected to vandalism or physical abuse.

10. In the event of an earthquake, a major conflict or any other circumstances that fall outside what would normally be seen and considered applicable to the warranty of a product of this nature, the warranty does not apply.

11. The warranty is subject to the following conditions;

- Normal conditions exclude corrosive environments such as those contaminated with chemical fumes or salt spray, intermittent or continual submersion in water or any other liquid, and damage from strong wind with sand.
- Damage to the coated material caused by handling, processing and or installation.
- Damage to the coated material caused by scratching after installation.
- Damage to the coated material from cut edges exposed to weather.

Disclaimer: The recommendations in Masons literature are based on good building practice, but are not an exhaustive statement of all relevant information and are subject to conditions (2), (3), (4) and above. Masons has tested the performance of Durali weatherboard when installed in accordance with the Durali technical specification, in accordance with the standards and verification methods required by the NZBC and those test results demonstrate the product complies with the performance criteria established by the NZBC. However, as the successful performance of the relevant system depends on numerous factors outside the control of Masons (e.g. quality of workmanship and design), Masons shall not be liable for the recommendations made in its literature and the performance of the relevant system, including its suitability for any purpose or ability to satisfy the relevant provisions of the NZBC, regulations and standards, as it is the responsibility of the building designer to ensure that the details and recommendations provided in the relevant Masons installation manual are suitable for the intended project and that specific design is conducted where appropriate.

Builder's record

This information, including proof of purchase, is required for any warranty claim. We recommend you attach your proof of purchase to this product warranty and keep it in a safe place. If your Masons product was installed by a builder, contractor, or installer, you must ensure that he or she has provided you with proof of purchase and details of the Masons product installed.

Substrate:

System: *Durali*

Extras:

Name of Company / Owner:

Address:

Type of Building:

Building Consent Number:

Completion Date:

Durali Applicator:



This maintenance guide is provided to help you maintain Masons Durali Weatherboard. Also find enclosed a Warranty Statement with your relevant information for future reference on the texture and colour, should you have impact damage.

Cleaning & Painting

MASONS Durali Superior Weatherboards require minimal maintenance due to the PVDF powder coated aluminium finish of the product. However, to maintain the finished appearance of the product over an extended period, it is important that the surface of the boards is washed down with water and a mild detergent every six months to remove dirt, grime and organic growth, to maximise the life and appearance of the board. This is especially important in areas that have minimal exposure to sunlight. Do not rub the surface with anything of an abrasive nature to avoid scratching the paint finish.

Should the product be scratched, repainting must be carried out in accordance with the paint manufacturer's instructions for treatment of aged powder coated aluminium. It is also important to carry out annual inspections to ensure that all aspects of the cladding system remain in a weathertight condition. Damaged areas or areas that may allow water ingress, must be repaired immediately. Check all flashings to ensure weathertightness, and repair where required.

Replacing Damaged Weatherboards

Where Durali Weatherboards have been subjected to impact or damage to the point that replacement is required, this is a relatively simple process for any qualified builder. Starting at the top of the wall and moving down to the damaged area, remove each board by unscrewing the board and clips as you go until reaching the affected area. The damaged area on the Weatherboard concerned, may be cut out and joined in the normal manner, however consideration should be given to replacing the whole board which would be a much quicker process.